



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,615	10/18/2005	Michael Dettmers	SHEE 200058	1978
27885 7590 05/20/2009				
Fay Sharpe LLP 1228 Euclid Avenue, 5th Floor The Halle Building Cleveland, OH 44115				
EXAMINER				
PRICE, CRAIG JAMES				
ART UNIT		PAPER NUMBER		
3753				
MAIL DATE		DELIVERY MODE		
05/20/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

11. (cont'd) Applicant's argument with regard to claim 1, where "the Examiner has provided no reason as to why this combination teaches or fairly suggests the provision of a second aperture" is not persuasive. As is clearly stated in the action on page 5, the reason to combine is taken from the Frantz reference, where the second radial aperture is used, "in order to provide a conduit between the outlet line and the upper chamber through which any air in the outlet line is bled quickly (Col. 3, Lns. 24-30). Furthermore, applicant argues that there is no disclosure of a valve piston sliding guide in the Frantz reference, to which the examiner points out that the Kobow reference teaches this component as reference numeral 13.

Applicant's argument with respect to claims 7 and 22, where "the shoulder is not a flange" is not persuasive, in that the flange of Dettmers is a flange in the broadest reasonable interpretation, where the flange of Dettmers is a projecting edge in as much as applicant's device is depicted.

Regarding claim 22 specifically, it is noted that applicant presented specific amendments to claim 22 and improperly identified the claim as "Previously Presented". Applicant is reminded of the proper procedure 37 CFR 1.121 in making amendments to claims. For the purpose of this action only, the improper claim status identifier "Previously Presented" will be overlooked. Failure to follow the procedures set forth in 37 CFR 1.121 for future amendments will result in a non-compliant action and thus unnecessarily further prosecution.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig Price whose telephone number is (571)272-2712. The examiner can normally be reached on 7AM - 5:30PM Mon-Thurs, Increased flex time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on (571) 272-4777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CP
19 May 2009
/C. P./
Examiner, Art Unit 3753

/John Rivell/
Primary Examiner, Art Unit 3753